


LED ropelight 13mm | 24V | 30m | 36 LED/m | amber



24V LED rope lights from Tronix Lighting are hugely popular due to their versatility and durability, allowing them to be used year-round. Light ropes are ideal for lighting locations both indoors and outdoors. Think of terraces, cafes, swimming pools or as accent lighting at a bar.

Features

- IP65
- Vertical LED structure
- 36 DIP leds per meter
 Clippable per 28 cm rope lig
- Clippable per 28 cm rope light
 Including power cable (stripped wire)

Article number:	050-005
CHANGED_LAST:	13-06-2024
Brand:	Tronix Lighting
Туре:	Rope lights
ETIM Group:	EG000027 - Luminaires
ETIM Classes:	EC002706 - Light ribbon-/hose/-strip
SYNONYM:	LED, LED strip, LED-light ribbon-/hose/-strip, LED-strip, Light



Page: 1/3







ribbon-/hose/-strip, Single LED



Feature

Model:	Hose	Colour temperature:	0 ~ 0 K
Mounting method:	Surface mounting/recessed mounting	Colour of light adjustable:	No
Lamp type:	LED not exchangeable	Luminous flux adjustable:	Continuously variable
Number of nodes per meter:	36	Beam angle adjustable:	No
Lamp power per meter:	1.7 W	Width:	0 mm
Lamp power per foot:	0 W	Height/depth:	0 mm
Luminous flux per meter:	100 lm	Length:	30000 mm
Voltage type:	DC	Diameter:	13 mm
Lamp voltage:	24 ~ 24 V	Lowest bending radius:	100 mm
Beam angle:	360 °	Length of particular segments:	280 mm
Type of control gear:	LED operating device voltage-controlled	With end piece:	Yes
Suitable for dimmer:	Yes	With connection set:	Yes
Exchangeable control gear:	Yes	With protective cover:	No
Energy efficiency class of the built-in lamp:	A++, A+, A (LED)	Self-adhesive:	No
Rated life time L70/B50 at 25 °C:	20000 h	Type of wiring:	Ending
Lumen maintenance at median useful life of 50,000 h at 25 °C ambient (tq):	0 %	Number of poles:	2
Failure rate at median useful life of 50,000 h at 25 °C ambient (tq):	0 %	Conductor cross section:	0.75 mm²
Degree of protection (IP):	IP65	Connection type:	Other
Degree of protection (NEMA):	2	Compatible with Apple HomeKit:	No
Protection class:	II	Compatible with Google Assistant:	No
Max. system power:	51 W	Compatible with Amazon Alexa:	No
Colour of light:	Amber	IFTTT support available:	No
Constant light output (CLO):	No	commerial, christmas or lightdesign:	NA

Packaging data

Weight	5.3 kg
Width	350 mm
Height	165 mm
Length	350 mm
Customs code	9405114090











Page: 3/3





