


Web Light | 24V | 250x150cm | 156 LED | WW LED | green wire





Illumination cable set





Feature

			-
Model:	Chainlight	Failure rate at median useful life of 50,000 h at 25 °C ambient (tq):	0 %
Number of light centres:	156	Constant light output (CLO):	No
Lamp type:	LED not exchangeable	Degree of protection (IP):	IP65
With light source:	Yes	Protection class:	II
Colour:	Other	Fire resistance according to UL94:	С
Voltage type:	DC	Colour of light:	White
Nominal voltage:	24 ~ 24 V	Power factor:	0.95
Connected load:	17 W	Width:	1500 mm
Battery power supply:	No	Height/depth:	0 mm
Suitable for outdoor use:	Yes	Total length:	2.5 m
With power bridge:	No	Diameter:	0 mm
Connectable:	Yes	Type of wiring:	Ending
Type of control gear:	LED operating device voltage-controlled	Number of poles:	2
Exchangeable control gear:	No	Conductor cross section:	0.5 mm ²
Energy efficiency class of the built-in lamp:	A++, A+, A (LED)	Connection type:	Other
Rated life time L70/B50 at 25 °C:	25000 h	commerial, christmas or both:	NA
Lumen maintenance at median useful life of 50,000 h at 25 °C ambient (tq):	0 %		


Packaging data

Weight	1.62 kg
Width	105 mm
Height	165 mm
Length	260 mm
Customs code	9405310000









Page: 3/3





