



MULTI GU10

Typology

New generation LED lamps with COB technology.

The lens is specially designed to obtain directionality of light, a clean beam and lower glare effect.

Thermally conductive compartment for housing the electronic components: optimization of heat dissipation and greater safety for the user.

Do not use with dimmer.









25000 h



GU10

-25°C +35°C






Data sheet code: 28830SP

G2

Characteristic data

Power	9 W	Beam	50°	Dimmable	No	Input	220-240 Vac
Base	GU10	IP	20	Flux	870 lm	PF	0,53
Tc	3000 K	Ra	>80	LED Warranty	G2	Axis	1040 cd

Dimensional characteristics



Ø	50 mm
Н	55 mm

Data sheet code: 28830SP



Lighting and photometric features

Beam opening	50°
Flux	870 lm
CCT nominal colour temperature	3000 K
Colour of the light	Warm light
Colour rendering index	>80
Lifespan	25000 h
LED lifespan	L70B20
Trigger time	<0,2 s
Heating time up to 60% of full efficiency	Instant Full Light
Mercury	0 mg

Electrical characteristics

Rated power	9 W
Input voltage	220-240 Vac
Frequency	50 Hz
Dimmable	No
Power factor (PF)	0,53
Input current	0.07 A
Weighted energy consumtion	9 kWh/1000h
Operating temperature	-25°C / +35°C
Equivalence with incandescent lamp	118
Operating position	360°

Other Infotech

Kellectol	Yes
-----------	-----

LED Warranty

G2	Up to 2 years
	(4000h/year) *4000h = 11h a day x 365 days.
	Without limitations on the duration of use for the first year, provided the observance of
	the installation conditions.

Standards and Directives

2009/125/EC, 1194/2012, 2015/1428, 2010/30/EU, 874/2012, 2011/65/EU, 2012/19/EU, 2014/30/EU, 2014/35/EU, 2015/863	CEI EN 62031/A1/A2:2015
CEI EN 55015:2020	CEI EN 62471:2010
CEI EN 60968:2016	IEC TR 62471-2:2009
CEI EN 61000-3-2:2019	CEI EN 62560:2013
CEI EN 61000-3-3:2014	CEI EN 62560/A1:2017
CEI EN 61547:2010	CEI 34-141:2014
CEI EN 62031:2009	

Logistics data

Item net weight	46 gr
Barcode single item	8011905847869
Number of pieces multiple pack	10
Barcode multiple pack	8011905847876

All parts of this document are Duralamp ownership. All rights reserved. This document and the included information are provided without any responsibilityderiving from mistakes or omissions. No part of this document can be cut, reproduced or used without written authorization. Duralamp maintains the right to change the included data without notice due to improvements of the products

