Tree Light Pro | 24V | 63m 420 LED | Green Wire | 2400K WW+

Article number:	025-019
CHANGED_LAST:	05-07-2022
Brand:	Tronix Lighting
Type:	Tree Light Professional 24 V
ETIM Group:	EG000027 - Luminaires
ETIM Classes:	EC002761 - Festive lighting
SYNONYM:	Bulb luminaire, Candle, Candle stick light, Chandelier, Christmas lighting, Christmas tree lighting, Curtain light, Festive lighting, Illumination cable set

8 7 1 4 9 8 4 9 1 5 7 1 8

guided by light

CARE SHARE CONNECT

tronixlighting.com

Feature

|			
Model:	Chainlight	Failure rate at median useful life of 50,000 h at 25 °C ambient (tq):	0 %
Number of light centres:	420	Constant light output (CLO):	No
Lamp type:	LED not exchangeable	Degree of protection (IP):	IP65
With light source:	Yes	Protection class:	III
Colour:	Green	Fire resistance according to UL94:	C
Voltage type:	DC	Colour of light:	White
Nominal voltage:	24 ~ 24 V	Power factor:	0.95
Connected load:	25 W	Width:	0 mm
Battery power supply:	No	Height/depth:	0 mm
Suitable for outdoor use:	Yes	Total length:	63 m
With power bridge:	No	Diameter:	0 mm
Connectable:	Yes	Type of wiring:	Through wiring included
Type of control gear:	LED operating device voltage-controlled	Number of poles:	2
Exchangeable control gear:	No	Conductor cross section:	0.3 mm²
Energy efficiency class of the built-in lamp:	A++, A+, A (LED)	Connection type:	Blade terminal
Rated life time L70/B50 at 25 °C:	25000 h	commerial, christmas or both:	NA
Lumen maintenance at median useful life of 50,000 h at 25 °C ambient (tq):	0 %		

Packaging data

Weight	2.78 kg
Width	135 mm
Height	200 mm
Length	277 mm
Customs code	9405310000

guided by light

CARE SHARE CONNECT

tronixlighting.com

guided by light

CARE   SHARE   CONNECT

tronixlighting.com