




LED Dimmer Universal | Trailing Edge | 2W ~ 350W



Article number:	215-131
CHANGED_LAST:	21-06-2022
Brand:	Tronix Lighting
Type:	Dimmers
ETIM Group:	EG000013 - Domestic switching devices
ETIM Classes:	EC000025 - Dimmer
SYNONYM:	Adapter plug, Dimmer, Plug adapter





Feature

Assembly arrangement:	Basic element	Colour:	Aluminium
Method of operation:	Turn/push button	RAL-number (similar):	9006
App control via Bluetooth:	No	Transparent:	No
Dimming phase cut-on:	No	Suitable for degree of protection (IP):	IP20
Dimming phase cut-off:	Yes	Impact strength:	IK00
Serial dimmer:	No	Nominal voltage:	220 ~ 240 V
Type of load:	Universal and LED Retrofit	Frequency:	50 ~ 60 Hz
Substation input:	No	Control voltage:	220 ~ 240 V
Light value memory:	Yes	Nominal power resistive load:	2 ~ 350 W
Applicable with button:	No	Nominal power inductive load:	2 ~ 350 VA
Applicable with movement sensor:	No	Nominal power capacitive load:	0 ~ 0 VA
Applicable with presence indicator:	No	Max. switching power LED:	0 W
Applicable with time switch/timer:	No	Connection type:	Screwed terminal
Applicable with transmission button:	No	Core cross section:	0.75 ~ 2.5 mm ²
Applicable with infrared button:	No	Device width:	70 mm
Mounting method:	Built-in installation	Device height:	70 mm
Type of fastening:	Mounting with screw	Device depth:	24 mm
Material:	Metal	Min. depth of built-in installation box:	25 mm
Material quality:	Aluminium	Compatible with Apple HomeKit:	No
Halogen free:	No	Compatible with Google Assistant:	No
Surface protection:	Untreated	Compatible with Amazon Alexa:	No
Surface finishing:	Glossy	IFTTT support available:	No

Packaging data

Weight	80 gr
Width	75 mm
Height	50 mm
Length	78 mm
Customs code	8536508090

