

# TRONIX

Corn Lamp  
18 & 26W



# Introduction



This Corn Light has 6063 aluminum radiator, anodic oxidation treated Heat sink and PC housing protects the light from rotting and dust, static electricity.

## Features

- Straight light-emitting, 360° beam angle.
- Imported LED chips, high light efficacy, energy-saving.
- Aluminum PCB with great thermal conductivity function and heat sink, better heat dissipation, ensure long life-span.
- High power & efficiency LED.

## Application notes

- Professional electrician for installation only
- Switch off before installation
- Do not touch when in use
- Keep away from hot steam and corrosive gas

Certificate

CE RoHS

# Product Information

## Technical Specifications

| Model                 | 18W                      | 26W                       |
|-----------------------|--------------------------|---------------------------|
| Input Power           | 18W                      | 26W                       |
| Lumen                 | 2340Lm                   | 3380Lm                    |
| Lumen Efficacy        | 130Lm/W                  | 130Lm/W                   |
| Color Temperature     | 3000K / 5000K            |                           |
| CRI                   | >80                      |                           |
| Viewing Angle         | 360 Degree               |                           |
| Input Voltage         | 100-240VAC 50/60Hz       |                           |
| PF                    | ≥0.9                     |                           |
| THD                   | ≤20%                     |                           |
| Equivalent            | 42W CFL, 70W MHL/HPS/HID | 60W CFL, 100W MHL/HPS/HID |
| LED Brand             | Lumileds                 |                           |
| LED Type              | SMD2835                  |                           |
| LED QTY               | 64 PCS                   | 90 PCS                    |
| Housing               | PC + Aluminum            |                           |
| Housing Color         | White                    |                           |
| Cover                 | Clear / Frosted          |                           |
| Waterproof Rating     | IP64                     |                           |
| Operating Temperature | -40°C ~ 45°C             |                           |
| Operating Humidity    | 20%-70% RH               |                           |
| Warranty Time         | 5 Years                  |                           |

## Product Size

