



Ground Spot | 195mm | 18,8W | Asymmetrical | 3000K



Article number:	140-075
CHANGED_LAST:	21-06-2022
Brand:	Tronix Lighting
Type:	Ground Spots
ETIM Group:	EG000027 - Luminaires
ETIM Classes:	EC000758 - In-ground luminaire
SYNONYM:	In-ground luminaire, Orientation luminaire, Spot





Feature

Lamp type:	LED not exchangeable	Lumen maintenance at median useful life of 100,000 h at 25 °C ambient (tq):	0 %
With light source:	Yes	Failure rate at median useful life of 50,000 h at 25 °C ambient (tq):	0 %
Lamp holder:	None	Failure rate at median useful life of 100,000 h at 25 °C ambient (tq):	0 %
Material housing:	Aluminium	Degree of protection (IP):	IP67
Colour housing:	Anthracite	Impact strength:	IK09
Material cover:	Glass transparent	Protection class:	I
Voltage type:	AC	Suitable for lamp power:	0 ~ 0 W
Nominal voltage:	100 ~ 240 V	Max. system power:	18.8 W
LED nominal current at constant current:	700 ~ 700 mA	Rated luminous flux according to IEC 62722-2-1:	1300 lm
Type of control gear:	LED operating device current-controlled	Colour of light:	White
With control gear:	Yes	Colour temperature:	3000 ~ 3000 K
Exchangeable control gear:	No	Colour rendering index CRI:	80-89
Dimming 0-10 V:	No	Power factor:	0.9
Dimming 1-10 V:	No	Constant light output (CLO):	No
Dimming DALI:	No	Colour temperature adjustable:	No
Dimming DMX:	No	Luminous flux adjustable:	No
Dimming DSI:	No	Beam angle adjustable:	No
Dimming potentiometer (integrated):	No	Width:	0 mm
Dimming GPRS:	No	Height/depth:	0 mm
Dimming LineSwitch:	No	Length:	0 mm
Dimming manufacturer's proprietary system:	No	Outer diameter:	195 mm
Dimming mains voltage modulation:	No	Built-in width:	0 mm
Dimming phase cut-off:	No	Built-in height/depth:	111 mm
Dimming phase cut-on:	No	Built-in length:	0 mm
Dimming programmable:	No	Built-in diameter:	174 mm
Dimming RF:	No	Max. load:	1.7 kg
Dimming Sine Wave Reduction:	No	Over rollable:	Yes
Dimming Touch and Dim:	No	Max. surface temperature:	0 °C
Dimming Zigbee:	No	Type of wiring:	Ending
Dimming with push-button:	No	Number of poles:	3
No dim function:	Yes	Conductor cross section:	0.75 mm ²
Adjustable:	No	Connection type:	Other
Light distributor:	Reflector	Electrical connection with connector system:	No
Light sharing:	Asymmetric	Compatible with Apple HomeKit:	No
Beam angle:	Wide beam 41-80°	Compatible with Google Assistant:	No
Energy efficiency class of the built-in lamp:	A++, A+, A (LED)	Compatible with Amazon Alexa:	No
Rated life time L70/B50 at 25 °C:	30000 h	IFTTT support available:	No
Lumen maintenance at median useful life of 50,000 h at 25 °C ambient (tq):	0 %		

Packaging data

Weight	2.88 kg
Width	200 mm
Height	118 mm



Length 200 mm

Customs code 9405421000



CARE



SHARE



CONNECT

