Led Module | Downlight | 350mA | 3,3W | Alu | 2700K

Article number:	148-151
CHANGED_LAST:	21-06-2022
Brand:	Tronix Lighting
Type:	Modules
ETIM Group:	EG000028 - Lamps
ETIM Classes:	EC000996 - LED-module
SYNONYM:	Indicator light complete, Lamp, LED panel, LED sheet, LED-module, Traffic signalling lamp

8 7 1 4 9 8 4 9 1 4 1 8 6

guided by light

CARE   SHARE   CONNECT

tronixlighting.com

Feature

Lamp power:	3.3 ~ 3.3 W	Beam angle:	40 ~ 40 °
Voltage type:	DC	Connection type:	Insert connection
Suitable for constant current:	Yes	Suitable for general lighting:	No
Suitable for constant voltage:	No	Suitable for traffic lights:	No
External driver required:	Yes	Suitable for variable road signs:	No
Operating current:	350 ~ 350 mA	Suitable for rail traffic:	No
Operating voltage:	9.4 ~ 9.4 V	Suitable for matrix information boards:	No
Lamp voltage:	0 ~ 0 V	Length:	0 mm
Number of LEDs:	1	Width:	0 mm
Shape:	Round	Height:	40.5 mm
Colour:	White	Diameter:	49.28 mm
Colour of light according to EN 12464-1:	Warm white <3300 K	Degree of protection (IP):	IP44
Flexible:	No	Average nominal lifespan:	30000 h
Colour temperature:	2700 K	Compatible with Apple HomeKit:	No
Luminous intensity:	0 cd	Compatible with Google Assistant:	No
Luminous flux:	300 ~ 300 lm	Compatible with Amazon Alexa:	No
Specific luminous efficacy:	0 ~ 0 lm/W	IFTTT support available:	No

Packaging data

Weight	80 gr
Width	58 mm
Height	55 mm
Length	79 mm
Customs code	9405119090

guided by light

CARE SHARE CONNECT

tronixlighting.com

guided by light

CARE   SHARE   CONNECT

tronixlighting.com