



LED Ropelight | 230V | 44M | 24 led p/meter | WW 3000K



Article number:	055-508
CHANGED_LAST:	04-11-2022
Brand:	Tronix Lighting
Type:	LED Rope Light 230V - Ø 13mm
ETIM Group:	EG000027 - Luminaires
ETIM Classes:	EC002706 - Light ribbon-/hose/-strip
SYNONYM:	LED, LED strip, LED-light ribbon-/hose/-strip, LED-strip, Light ribbon-/hose/-strip, Single LED





Feature

Model:	Hose	Colour rendering index CRI:	80-89
Mounting method:	Surface mounting/recessed mounting	Power factor:	0.9
Lamp type:	LED not exchangeable	Colour temperature adjustable:	No
Number of nodes per meter:	24	Luminous flux adjustable:	Continuously variable
Lamp power per meter:	2.1 W	Beam angle adjustable:	No
Lamp power per foot:	0 W	Width:	0 mm
Luminous flux per meter:	66 lm	Height/depth:	0 mm
Voltage type:	AC	Length:	4400 mm
Lamp voltage:	230 ~ 230 V	Diameter:	13 mm
Beam angle:	0 °	Lowest bending radius:	60 mm
Type of control gear:	Not required	Length of particular segments:	0 mm
Suitable for dimmer:	Yes	With end piece:	Yes
Exchangeable control gear:	No	With connection set:	Yes
Energy efficiency class of the built-in lamp:	A++, A+, A (LED)	With protective cover:	No
Rated life time L70/B50 at 25 °C:	25000 h	Self-adhesive:	No
Lumen maintenance at median useful life of 50,000 h at 25 °C ambient (tq):	0 %	Type of wiring:	Ending
Failure rate at median useful life of 50,000 h at 25 °C ambient (tq):	0 %	Number of poles:	2
Degree of protection (IP):	IP65	Conductor cross section:	0.5 mm ²
Degree of protection (NEMA):	2	Connection type:	Other
Protection class:	I	Compatible with Apple HomeKit:	No
Max. system power:	92.4 W	Compatible with Google Assistant:	No
Colour of light:	White	Compatible with Amazon Alexa:	No
Constant light output (CLO):	Yes	IFTTT support available:	No
Colour temperature:	3000 ~ 3000 K	commercial, christmas or lightdesign:	NA

Packaging data

Weight	6.7 kg
Width	330 mm
Height	140 mm
Length	330 mm
Customs code	9405114090

