

02 Recessed Spots Fixed LED>The IP65 Range

10106P/W/C



IP65 6W COB LED recessed spot suitable for installation in bathroom.

Complete with driver.

Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery



Physical Specification

Item Group

02 Recessed Spots Fixed LED

Family

The IP65 Range

Order Code

10106P/W/C

Material

Plastic

Diffuser Material

PC

Shape



Circular

Height

59mm

Diameter	85mm
Cutout Hole Diameter	68mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Outdoor	Yes
Adjustable	No


Electrical Characteristics

Gear	Built In
Fitting + Driver	
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Safety Class	
Power(Watts)	6W
IP Rating	IP65
Light Source	LED built in
Dimmable	No
F Mark	

Fitting	
Input Type	Constant Current
Input Current	75mA
Voltage	72V
Power(Watts)	5,4W
Light Source	LED built in
LED Type	SMD 2835
LED Brand	Smalite

LED Number	8
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
Power(Watts)	6W
Power Factor	0,5
Voltage Range	72V

Illumination Data

Colour Temperature	4000K
Lumen Output	440lm
Light Efficiency	73,33lm/W
CRI	80
Beam Angle	100°
Illumination Diagram	

Packing Info

Box Length	9cm
Box Width	9cm
Box Height	7,5cm
Box Weight	0.131kg
Pcs/Carton	48
Barcode	5291889046035
HS Code	9405114090

Certification & Warranty

switch to
one light!

one
LIGHT

