




Zigbee | 0/1-10V / DALI DT6/DT8 dimming module



214-268 is a 2 in 1 dimming module based on ZigBee 3.0, which converts a ZigBee signal output to a DALI DT6/DT8 or 0/1-10V output. Compatible with universal ZigBee based gateways or hubs and easy to use.

Article number: 214-268

CHANGED_LAST: 03-07-2023

Brand: Tronix Lighting

Type: LED drivers

ETIM Group: EG000029 - Light control

ETIM Classes: EC002710 - LED driver

SYNONYM: LED controlling, LED driver





Feature

Model:	Dynamic	Constant light output (CLO):	No
Suitable for outdoor use:	No	No dim function:	No
Dimming 0-10 V:	Yes	Housing:	Plastic housing
Dimming 1-10 V:	No	Suitable for constant current:	Yes
Dimming DALI:	Yes	Suitable for constant voltage:	No
Dimming DSI:	No	Output voltage:	110 ~ 240 V
Dimming DMX:	No	Output current:	0 ~ 0 mA
Dimming potentiometer (integrated):	No	Suitable for DC-voltage (primary side):	No
Dimming GPRS:	No	Output power:	0 ~ 0 W
Dimming LineSwitch:	No	Degree of protection (IP):	IP20
Dimming manufacturer's proprietary system:	No	Protection class:	II
Dimming mains voltage modulation:	No	Length:	800 mm
Dimming phase cut-off:	No	Width:	36 mm
Dimming phase cut-on:	No	Height:	20.5 mm
Dimming programmable:	No	Diameter:	0 mm
Dimming RF:	No	Compatible with Apple HomeKit:	Yes
Dimming Sine Wave Reduction:	No	Compatible with Google Assistant:	Yes
Dimming Touch and Dim:	No	Compatible with Amazon Alexa:	Yes
Dimming Zigbee:	Yes	IFTTT support available:	No
Dimming with push-button:	No		

Packaging data

Weight	300 gr
Width	36 mm
Height	20.5 mm
Length	800 mm
Customs code	8536501990

