



LED Driver | 700mA | 40 Watt | Flicker Free | Triac Dimmable



Article number:	215-282
CHANGED_LAST:	21-06-2022
Brand:	Tronix Lighting
Type:	LED Drivers Constant Current
ETIM Group:	EG000029 - Light control
ETIM Classes:	EC002710 - LED driver
SYNONYM:	LED controlling, LED driver





Feature

Model:	Dynamic	Constant light output (CLO):	No
Suitable for outdoor use:	No	No dim function:	No
Dimming 0-10 V:	No	Housing:	Plastic housing
Dimming 1-10 V:	No	Suitable for constant current:	Yes
Dimming DALI:	No	Suitable for constant voltage:	No
Dimming DSI:	No	Output voltage:	28 ~ 56 V
Dimming DMX:	No	Output current:	700 ~ 700 mA
Dimming potentiometer (integrated):	No	Suitable for DC-voltage (primary side):	No
Dimming GPRS:	No	Output power:	40 ~ 40 W
Dimming LineSwitch:	No	Degree of protection (IP):	IP20
Dimming manufacturer's proprietary system:	No	Protection class:	II
Dimming mains voltage modulation:	No	Length:	166 mm
Dimming phase cut-off:	Yes	Width:	52 mm
Dimming phase cut-on:	Yes	Height:	24 mm
Dimming programmable:	No	Diameter:	0 mm
Dimming RF:	No	Compatible with Apple HomeKit:	No
Dimming Sine Wave Reduction:	No	Compatible with Google Assistant:	No
Dimming Touch and Dim:	No	Compatible with Amazon Alexa:	No
Dimming Zigbee:	No	IFTTT support available:	No
Dimming with push-button:	No		

Packaging data

Weight	280 gr
Width	63 mm
Height	50 mm
Length	180 mm
Customs code	8504409090

