



## PS36 | IP44 | Black | String | 10m | 100led | 3000K WW

┏╧┰└┰└┰└┰└┰└┰┸┰╼



| Article number:                           | 018-521   |  |
|---|---|--|
| CHANGED_LAST:                             | 21-06-2022  |  |
| Brand:                                    | Tronix Lighting   |  |
| Туре:                                     | String Lights 10M - Connectable   |  |
| ETIM Group:                               | EG000027 - Luminaires   |  |
| ETIM Classes: EC002761 - Festive lighting |   |  |
| SYNONYM:                                  | Bulb luminaire, Candle, Candle stick light,<br>Chandelier, Christmas lighting, Christmas<br>tree lighting, Curtain light, Festive lighting,<br>Illumination cable set |  |
|   |   |  |



Page: 1/3

SHARE















## Feature

| Model:  | Chainlight                              | Lumen maintenance at median useful life of 50,000 h at 25 °C ambient (tq): | 0 %                     |
|---|---|--|-------------------------|
| Number of light centres:                      | 100                                     | Failure rate at median useful life of 50,000 h at 25 °C ambient (tq):      | 0 %                     |
| Lamp type:                                    | LED not exchangeable                    | Constant light output (CLO):   | No                      |
| With light source:                            | Yes                                     | Degree of protection (IP):   | IP65                    |
| Colour:                                       | Other                                   | Protection class:  | III                     |
| Voltage type:                                 | DC                                      | Fire resistance according to UL94:   | С                       |
| Nominal voltage:                              | 36 ~ 36 V                               | Colour of light:   | White                   |
| Connected load:                               | 6.8 W                                   | Width:   | 0 mm                    |
| Battery power supply:                         | No                                      | Height/depth:  | 0 mm                    |
| Suitable for outdoor use:                     | Yes                                     | Total length:  | 10 m                    |
| With power bridge:                            | No                                      | Diameter:  | 0 mm                    |
| Connectable:                                  | Yes                                     | Type of wiring:  | Through wiring included |
| Type of control gear:                         | LED operating device voltage-controlled | Number of poles:   | 2                       |
| Exchangeable control gear:                    | No                                      | Conductor cross section:   | 0.5 mm <sup>2</sup>     |
| Energy efficiency class of the built-in lamp: | A++, A+, A (LED)                        | Connection type:   | Other                   |
| Rated life time L70/B50 at 25 °C:             | 20000 h                                 | commerial, christmas or both:  | NA                      |
|   |   |  |                         |

## Packaging data

| 540 gr     |
|------------|
| 100 mm     |
| 80 mm      |
| 200 mm     |
| 9405310000 |
|            |

Page: 2/3














Page: 3/3









tronixlighting.com