

New 2025 Edition 2>Office & Kitchen

38145BR/W/V



CCT and Power variable 40W UGR19 Recessed linear with 48pcs LED spots, ideal for offices.

Complete with power variable driver.


Complies with standard EN60598-1 and any other specific standards.



Downloads



Dimensions



Gallery





Physical Specification

| | |
|------------|--------------------|
| Item Group | New 2025 Edition 2 |
| Family | Office & Kitchen |
| Order Code | 38145BR/W/V |
| Colour | White |
| Material | Aluminium |
| Shape | Rectangular |
| Length | 1295mm |

| | |
|--------------------|--------|
| Width | 50mm |
| Height | 55mm |
| Cutout Hole Width | 1280mm |
| Cutout Hole Length | 37mm |
| Recessed Ceiling | Yes |
| Depth Required | 80mm |
| Indoor | Yes |
| Adjustable | No |

Electrical Characteristics


| | |
|------------------|---|
| Gear | Built In |
| Fitting + Driver | |
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| Safety Class |  |
| Power(Watts) | 20W-30W-40W |
| IP Rating | IP20 |
| Light Source | LED built in |
| Dimmable | No |
| F Mark |  |

| | |
|--------------|------------------|
| Fitting | |
| Input Type | Constant Current |
| IP Rating | IP20 |
| Light Source | LED built in |
| LED Type | SMD |

| | |
|-----------|------------|
| Gear | |
| Gear Type | Led Driver |

| | |
|---------------|----------|
| Input Voltage | 220-240V |
| 50 Hz | Yes |
| 60 Hz | Yes |
| IP Rating | IP20 |
| Dimmable | No |

Illumination Data

| | |
|----------------------|---|
| Colour Temperature | 3000K-4000K-5000K |
| Lumen Output | 4000lm (40W) |
| Light Efficiency | 100lm/W |
| CRI | 90 |
| Beam Angle | 34° |
| Illumination Diagram |  |
| Dark Light | Yes |
| UGR | 17 |

Packing Info

| | |
|------------|----|
| Pcs/Carton | 12 |
|------------|----|

Certification & Warranty

| | |
|----------------|---------|
| Warranty | 3 Years |
| Weee Directive | Yes |

switch to
one light!

one
LIGHT

