

Product Datasheet

www.1-light.eu

New 2025 Edition 2>Office & Kitchen

38152RC/W/V



CCT and Power variable 14W corner for 38152R.

Complete with power variable driver.

Complies with standard EN60598-1 and any other specific standards.




Downloads





Dimensions



Gallery



Related items



38152R/W/V

Physical Specification

Item Group

New 2025 Edition 2

Family

Office & Kitchen

Order Code	38152RC/W/V
Colour	White
Material	Aluminium
Shape	Rectangular
Length	164x164mm
Width	70mm
Height	60mm
Cutout Hole Width	160x160mm
Cutout Hole Length	60mm
Recessed Ceiling	Yes
Depth Required	80mm
Indoor	Yes
Adjustable	No
Electrical Characteristics	
Electrical Characteristics	
Electrical Characteristics Gear	Built In
Gear	Built In
	Built In
Gear	Built In 220-240V
Gear Fitting + Driver	
Gear Fitting + Driver Input Voltage	220-240V
Gear Fitting + Driver Input Voltage 50 Hz	220-240V Yes
Gear Fitting + Driver Input Voltage 50 Hz 60 Hz	220-240V Yes
Gear Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class	220-240V Yes Yes
Gear Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts)	220-240V Yes Yes 6W-8W-10W-14W
Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) IP Rating	220-240V Yes Yes GW-8W-10W-14W IP20
Gear Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) IP Rating Light Source	220-240V Yes Yes 6W-8W-10W-14W IP20 LED built in
Gear Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) IP Rating Light Source Dimmable	220-240V Yes Yes 6W-8W-10W-14W IP20 LED built in
Gear Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) IP Rating Light Source Dimmable	220-240V Yes Yes 6W-8W-10W-14W IP20 LED built in
Gear Fitting + Driver Input Voltage 50 Hz 60 Hz Safety Class Power(Watts) IP Rating Light Source Dimmable F Mark	220-240V Yes Yes 6W-8W-10W-14W IP20 LED built in

Light Source	LED built in
LED Type	SMD
Gear	
Gear Type	Led Driver
Input Voltage	220-240V
50 Hz	Yes
60 Hz	Yes
IP Rating	IP20
Dimmable	No
Illumination Data	
Colour Temperature	3000K-4000K-5000K
Lumen Output	720m (8W)
Light Efficiency	90lm/W
CRI	90
Illumination Diagram	
Packing Info	
Pcs/Carton	
Certification & Warranty	
Warranty	3 Years

switch to one light!

