



## PS36 | IP44 | Black | String | 3m | 30led | 2400K WW+

<sub>┏╾</sub>┸<sub>┲</sub>┸<sub>┲</sub>┸<sub>┲</sub>┸<sub>┲</sub>┸<sub>┲</sub>┸<sub>┲</sub>┹<sub>┲</sub>



Article number:	018-502	
CHANGED_LAST:	HANGED_LAST: 21-06-2022	
Brand:	Brand: Tronix Lighting	
Туре:	String Lights 3M - Connectable	
ETIM Group:	p: EG000027 - Luminaires	
ETIM Classes: EC002761 - Festive lighting		
SYNONYM:	Bulb luminaire, Candle, Candle stick light, Chandelier, Christmas lighting, Christmas tree lighting, Curtain light, Festive lighting, Illumination cable set	



Page: 1/3















## Feature

Model:	Chainlight	Lumen maintenance at median useful life of 50,000 h at 25 °C ambient (tq):	0 %
Number of light centres:	30	Failure rate at median useful life of 50,000 h at 25 °C ambient (tq):	0 %
Lamp type:	LED not exchangeable	Constant light output (CLO):	No
With light source:	Yes	Degree of protection (IP):	IP65
Colour:	Other	Protection class:	Ш
Voltage type:	DC	Fire resistance according to UL94:	C
Nominal voltage:	36 ~ 36 V	Colour of light:	White
Connected load:	2 W	Width:	0 mm
Battery power supply:	No	Height/depth:	0 mm
Suitable for outdoor use:	Yes	Total length:	3 m
With power bridge:	No	Diameter:	0 mm
Connectable:	Yes	Type of wiring:	Through wiring included
Type of control gear:	LED operating device voltage-controlled	Number of poles:	2
Exchangeable control gear:	No	Conductor cross section:	0.5 mm <sup>2</sup>
Energy efficiency class of the built-in lamp:	A++, A+, A (LED)	Connection type:	Other
Rated life time L70/B50 at 25 °C:	20000 h	commerial, christmas or both:	NA

## Packaging data

200 gr
80 mm
60 mm
165 mm
9405310000

Page: 2/3


















Page: 3/3

guided by light





tronixlighting.com