



MLX BL LULU LED T8/G13 SZABADONSUGÁRZÓK



FÖLDELES



230V
BEMENETI
FESZÜLTÉG




IP
20



5 EV
GARANCIA




-20
+40
°C





Series connector

Fittings






MLX BL LULU LED T8/G13 SZABADONSUGÁRZÓK



No.	Model	L1 Outside Length	L2 Inside Length	W1 Width	T1 Thickness	H1 Height
1	0.6M	609mm	588mm	33mm	14mm	43.6mm
2	0.9M	915mm	894mm	33mm	14mm	43.6mm
3	1.2M	1219mm	1198mm	33mm	14mm	43.6mm
4	1.5M	1519mm	1498mm	33mm	14mm	43.6mm





MLX BL LULU LED T8/G13 SZABADONSUGÁRZÓK



Egy bemenetű T8 cső




Bemenet a bal oldalon

vagy




bemenet a jobb oldalon





MLX BL LULU LED T8/GI3 SZABADONSUGÁRZÓK



Parameters		
1	Structure	Iron+PC
2	Color	White
3	Power	1*40W
4	thickness of Material	0.2mm
5	Base color	white
Remark The tolerance of photo parameters and electrical parameters for all our products is ±10%.		
Packing		
	pcs/ctn	Carton Size (cm)
	50	
Features: - ★ - High quality steel , exterior spray paint, beautiful and elegant, simple fashion, strong and durable. - ★ - Made of high quality insulating gel, safe and reliable, it has anti - burning effect, durable and not easy to wear. - ★ - Various metope fixed way, installation is convenient and stable. - ★ - LED wire connection is Double ended		
Applications Installation for lamp tube for market , classroom , room and so on		

