



New 2025 Edition 3>Magnetic Lights

42108A/B/V



2x6W CCT Variable LED spot for magnetic profiles.

Suitable for MINI, MIDI, MAXI and P&P magnetic profiles.

Complies with standard EN60598-1 and any other specific standards.



MINI

✓

MIDI

✓

MAXI

✓

P&P

✓

90

CRI

ADJUSTABLE






Downloads



Dimensions



Physical Specification

Item Group	
Family	
Order Code	
Colour	
Material	
Shape	
Height	
Diameter	
Surface Ceiling	
Surface Wall	
Track mounted	
Indoor	

New 2025 Edition 3
Magnetic Lights
42108A/B/V
Black
Aluminium
Circular
72mm
35mm
Yes
Yes
Yes
Yes

Adjustable	2 Directions
------------	--------------

Electrical Characteristics

Fitting

Input Type	Constant Voltage
Input Voltage	48V DC
Safety Class	
Power(Watts)	2x6W
IP Rating	IP20
Light Source	LED built in
F Mark	

Illumination Data

Colour Temperature	3000K-3500K-4000K
Lumen Output	2x480lm
Light Efficiency	80lm/W
CRI	90
Beam Angle	38°
Illumination Diagram	

Packing Info

Box Weight	0.455kg
Pcs/Carton	20
Barcode	5291889086451
HS Code	9405413990

Certification & Warranty

switch to
one light!

